Safety Data Sheet

1 Manufacturer Information

Company Name		Shallin Electronics	Co., Ltd.	
Address	No. 45, La	No. 45, Lane 135, Sec. 3 Hai An Rd., Tainan, Taiwan 70458		
Person in charge		C.T.Yang		
Emergency Pone #	886-6-2591103	Fax #	886-6-2591105	
Item Name		Solder		
Alloy composition		Lead-free Sn99.2/Ag0.3/Cu0.5(RD7311D2)		

2 Hazards Identification

Physical State and Appearance		Solid
Emergency Overview		Warning!
		Avoid contact with eyes. Avoid prolonged or repeated
		contact with skin. Wash thoroughly after handling.
Routes of Entry		Inhalation.Ingestion.
Potential Acute Health Effects	Eyes	May be causing irritant in case of eye contact
	Skin	This product may be hazardous in case of skin contact
	2	(irritant, sensitizer). Skin inflammation is characterized
		by itching, scaling, reddening, or, occasionally, blistering.
	Inhalation	Fumes and/ or dusts produced by this product may be
		hazardous in case of inhalation.
	Ingestion	This product may be hazardous in case of ingestion.
Potential Chronic Health Effects		Chronic effects: Fumes and /or dusts produced by this
		product may be hazardous in case of ingestion, of
		inhalation.

This product may be hazardous in case of skin contact (irritant, sensitizer), of eye contact (irritant). Non-corrosive for skin. Non-permeator by skin.





Medical Conditions Aggravated by Overexposure Repeated or prolonged exposure is not known to aggravate medical condition.

Overexposure/ Signs/ Symptoms N/A

3 Hazardous Ingredients

Hazardous Components								
Common Name	Chemical Formula	weight %	CAS. No.	TWA	STEL	CEILING	LD 50	LC 50
Tin	Sn	99.2	7440-31-5	2	4	N/A	N/A	N/A
Silver	Ag	0.3	7440-22-4	0.01	0.03	N/A	N/A	N/A
Copper	Cu	0.5	7440-50-8	0.2	N/A	N/A	N/A	N/A
Antimony	Sb		7440-36-0	0.5	1.5	N/A	N/A	N/A
Rosin	-	2.5~3.0	8050/9/7	0.1	N/A	N/A	N/A	N/A

4 First Aid Measures

Eye Contact	Check for and remove any contact lenses. In case of		
	contact, immediately flush eyes with plenty of water		
	for at least 15 minutes. Get medical attention.		
Skin Contact	In case of contact, immediately flush skin with plenty of		
	water for at least 15 minutes while removing		
	contaminated clothing and shoes. Cover the irritated skin		
	with emollient. Wash clothing before reuse. Thoroughly		
	clean shoes beofre reuse. Get medical attention.		
Hazardous Skin Contact	Wash with a disinfectant soap and cover the		
	contaminated skin with an anti-bacterial cream. Seek		
	medical attention.		
Inhalation	If inhaled, remove to fresh air. If not breathing, give		

	artificial respiration. If breathing is difficult, give oxygen.
	Get medical attention.
Hazardous Inhalation	
Ingestion	Do NOT induce vomiting unless directed to do so by
	medical personnel. Never give anything by mouth to an
	unconscious person. If large quantities of this material
	are swallowed, call a physician immediately. Loosen
	tight clothing such as a collar, tie, belt or waistband.
Hazardous Ingestion	N/A
Notes to Physcian	N/A
· · · · · · · · · · · · · · · · · · ·	-

5 Fire Fighting Measures

Suitable extinguisher	Dry powdered type
Undder high-temperature condition	, do not use w Not applicable.
Fire fighters must wear special pro	tective equipment

6 Accidental Release Measures

Small Spill and Leak	Use approprite tools to put the spilled solid in a convenient waste
	disposal container. Finish cleaning by spreading water on the
	contaminated surface and dispose of according to local and regional
	authority requirements.

Large Spill and Leak	Use a shovel to put the material into a convenient waste disposal
	container. Finish cleaning by spreading water on the contaminated
	surface and allow to evacuate through the sanitary system.

7 Handling and Storage

Handling	Avoid contact with eyes. Avoid prolonged or repeated contact with skin.
	Wash thoroughly after handling.
Storage	Keep container tightly closed. Keep container in a cool, well-ventilated area.

8 Exposure Controls, Personal Protection

Engineering Protection	Use process enclosures, local exhaust ventilation, or other engineering		
	controls to keep airborne levels below recommended exposure limits		
	If user operations generate dust, fume or mist, use ventilation to keep		
	exposure to airborne contaminants below the exposure limit.		
Personal Protection Eyes	Splash goggles.		
Body	Lab coat.		
Respiratory	Dust respirator. Be sure to use an approved/ certified respirator or		
	equivalent. Wear appropriate respirator when ventilation.		
Hands	Gloves.		
Feet	Not applicable.		
Note: Suggested protective clothing r	nay not be adequate for a specific process. Consult a specialist before using.		
Personal Protection in case of a larg			
, c	A self contained breathing apparatus should be used to		
	avoid inhalation of the product. Suggested protective		
	clothing might not be sufficient; consult a specialist		
	BEFORE handling this product.		

9 Physical and Chemical Properties

Physical State and Appearance	Solid grey color
Smell	Odorless
Chemical Formula	Not applicable.
pH(1% Soln/ Water)	Not applicable.
Acid Value	Not available.
Boiling/ Condensation Point	Not available.
Melting/ Freezing Point	227°C
Critical Temperature	Not available.
Vapor Pressure	Not applicable.
Vapor Density	Not available.
Volatility	Not available.
Odor Threshold	Not available.
Odor	Not available.
Taste	Not available.
Color	sliver-grey.
Specific Gravity	7.38 (water =1)
Evaporation Rate	Not available.
VOC	Not available.
Viscosity	Not available.
LogKow	The product is insoluble in water and oil.
Ionicity (In Water)	Non-ionic
Dispersion Properties	Is not dispersed in cold water, hot water,
	methanol, diethyl ether, n-octanol, acetone.
Solubility	Insoluble
Solutionity	Institute
Physcial Chemical Comments	Not available.

10 Stability and Reactivity

Stability and Reactivity	This product is stable.		
Conditions of Instability	Stable in normal conditions. Over melting point,		
	will emit toxic tin oxides. (Tin)		
Incompatibility with Various Substances	Slightly reactive with oxidizing agents, acids, moisture.		
Hazardous Decomposition Products	Not available.		
Hazardous Polymerization	Will not occur.		
Corrosivity	Not considered to be corrosive for matals and glass		
	according to our database.		

Special Remarks on Corrosivity	Not available.	

11 Toxicological Information

Toxic and Chronic Effects on	Fumes and/or dusts produced by this product may be hazardous in
Humans	case of ingestion, of inhalation. This product may be hazardous in case
	of skin contact (irritant, sensitizer), of eye contact (irritant). Non-
	corrosive for skin. Non-permeator by skin.
	MUTAGENIC EFFECTS: Not available.
	TERATOGENIC EFFECTS : Not available.
	TERMI COLLINE ELI LETT. NOI avanable.
	DEVELOPMENTAL TOXICITY: Not available.
	The product may be toxic to kidneys, lungs, liver, mucous membranes,
	upper respiratory tract, skin, eye, lens or cornea.
	Repeated or prolonged exposure to the substance can produce target
	organs damage.
Toxicity to Animals	LD50: N/A
	LC50: N/A
Special Remarks on Chronic	Prolonged and repeated exposure to tin oxyde fumes may result in
Effects on Humans	benigne pneumoconiosis (stannosis). (Tin)
Chronic Effects on Humans	N/A
Chrome Effects on Humans	Developmental Toxicity: N/A
Special Remarks on Other	MOLTEN METAL can cause severe Burns!
Toxic Effects on Humans	Fumes and dust may irritate eyes, digestive system and respiratory
Tome Directs on Humans	tract. (Tin)
	/
Special Remarks on Toxicity	No additional remark
on Animals	

12 Ecological Information

Ecotoxicity	Unkown
BOD5 and COD	Unkown
Biodegradable/ OECD	Unkown

Mobility	
	Possibly hazardous short term degradation products are not likely.
	However, long term degradation products may arise.
Toxicity of the Products of	The product itself and its products of degradation are not toxic.
Biodegration	
Special Remarks on the	N/A
Products of Biodegradation	

13 Disposal considerations

Waste Information	Waste must be disposed of in accordance with federal, state and	
	local environmental control regulations.	
Waste stream	N/A	
Consult your local or regi	onal authorities.	

14 Transport Information

UN Number : None
UN Transportation name: IATA-Dangerous goods regulations
Clasification: Non-DOT restrictive material
Packing class: None
Ocean pollution: No
Special transport methods and remarks: N/A

15 Regulatory Information

Compliant to Labor /Sanitary Regulations	
Standards of labor working environment regulating air density of hazardous materials	
Standards of waste handling and storage	
Identification rules on hazardous materials	
Safety rules of road transportation	

16 Other Information

Company	Shallin Electronics Co., Ltd.		
Person in Cha	nrge	C.T.Yang	
Emergency Pl	hone	886-6-2591103	
Fax		886-6-2591105	
DATE		2016/12/30	